Product Information

JB GERMAN OIL Longlife IV 0W-20

J2065

Description

JB GERMAN OIL Longlife IV 0W-20 was specially developed for the latest Volkswagen specification VW 508 00/509 00 (also known as VW Blue Oil). It combines longevity and protection in a low viscosity engine oil with lowered HTHS. Developed by experts to help extend the life and efficiency of the latest generation petrol and diesel vehicles requiring SAE 0W-20 viscosity grades. The specification ACEA A1/B1 is met, so JB GERMAN OIL Longlife IV 0W-20 is of course also suitable for many vehicles from other manufacturers.

Instructions for use

JB GERMAN OIL Longlife IV 0W-20 can only be used in modern engines and is not backward compatible.It is ideally suited for extended oil change interval (Longlife) applications where the use of SAE 0W-20 engine oil with reduced ash content and reduced HTHS is required. Distinguishing features such as a specific color and chemical markers are included. Observe manufacturer's instructions!

Quality classification

Specification

- ACEA C5

Recommendation

- MB 229.71
- Porsche C20
- VW 508 00/509 00
- FORD WSS-M2C956-A1
- MB 229.72

Properties

- Future-proof additives for future engine generations
- Excellent motor protection
- Lowered HTHS viscosity for maximum fuel economy
- VW Blue Oil typical coloring to avoid confusion
- High fuel efficiency
- Excellent for prolonged maintenance intervals
- Highest oxidation stability based on fully synthetic PAO base oils
- Best cold start properties and by SAE class 0W-20

Technical specifications

Properties	Data	Unit	Testing under
Kinematic Viscosity at 40°C	39,2	mm^2/s	DIN 51659-2:2017-02
Kinematic Viscosity at 100°C	8,0	mm^2/s	DIN 51659-2:2017-02
Viscosity Index	182		DIN ISO 2909:2004-08
Appearance	GREEN		VISUELL
Density at 15°C	836	kg/m^3	DIN EN ISO 12185:1997-11
Pour Point	-60	°C	ASTM D 7346:2015

JB German Oil GmbH | Wölzower Weg 13 - 19 | D-19243 Wittenburg | Telefon: +49 (0) 38852 90620 | Telefax: +49 (0) 38852 906220

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.