

Product Information

JB GERMAN OIL 4-Takt Spezial 10600

J2002



Description

JB GERMAN OIL 4-Takt Spezial 10600 is a synthetic, multi-grade engine oil with specially selected base oils. A very high proportion of Group IV poly-alpha-olefins makes it a very special engine oil, which can also satisfy the highest requirements. Thanks to its special additives, JB GERMAN OIL 4-Takt Spezial 10600 is also suitable for extreme racing. It is ideally suited to modern petrol engines under the heaviest of loads during car racing and ensures an optimal lubrication layer, even at very high operating temperatures.

Instructions for use

JB GERMAN OIL 4-Takt Spezial 10600 was specially developed for speedway car racing and may therefore also be used in the harshest operating conditions. Its particularly modern and high-quality basic ingredients, in combination with a very specially selected additive package, prevent deposits on engine parts that are subject to high stress.

Quality classification

Specification

- API SP/CF
- ACEA A3/B4

Recommendation

- BMW M Serie
- MB 229.1
- Fiat 9.55535-H3
- VW 501 01/505 00

Properties

- A highly-modern, synthetic engine oil for use in extreme racing
- A very stable and excellent viscosity behavior and shear stability
- High oil film stability to prevent wear
- Continuous high oil pressure
- Low evaporation, thus low oil consumption
- Highest possible protection against wear, corrosion and foaming
- Suitable for catalytic converters
- Black sludge is prevented from forming
- Extended oil change intervals protect natural resources

Technical specifications

Properties	Data	Unit	Testing under
Kinematic Viscosity at 40°C	159,0	mm ² /s	DIN 51659-2:2017-02
Kinematic Viscosity at 100°C	23,3	mm ² /s	DIN 51659-2:2017-02
Viscosity Index	176		DIN ISO 2909:2004-08
Appearance	YELLOWBROWN		VISUELL
Viscosity CCS at -25°C	6390	mPa*s	ASTM D 5293:2020
Density at 15°C	848	kg/m ³	DIN EN ISO 12185:1997-11
Pour Point	-54	°C	ASTM D 7346:2015
Total Base Number (TBN)	11,6	mgKOH/g	ASTM D 2896:2015