

# Product Information

## JB GERMAN OIL Mineral Extra 15W-40 | j2026



### Description

**JB GERMAN OIL Mineral Extra 15W-40** is a semi-synthetic high-performance, smooth-running engine oil for carburettor and diesel car engines with or without turbocharging and direct injection. Extended oil change intervals as per manufacturer's instructions. **JB GERMAN OIL Mineral Extra 15W-40** is characterized by its excellent cold starting properties, minimization of fuel consumption, friction and wear. With **JB GERMAN OIL Mineral Extra 15W-40**, a reliable and heavy-duty engine oil has been developed.

### Instructions for use

**JB GERMAN OIL Mineral Extra 15W-40** is an engine oil for year-round use, and is ideal for all modern petrol and diesel car engines. **JB GERMAN OIL Mineral Extra 15W-40** can be used in engines with the specifications indicated. The operating instructions of the automobile and engine manufacturer must be observed.

### Quality classification

#### Specifications

- API SL/CF
- ACEA A3/B4

#### Recommendation

- Fiat 9.55535-D2/-G2
- MB 229.1
- VW 501 01/VW 505 00

### Properties

- Excellent cold starting properties, even at low temperatures
- A very stable and excellent viscosity behavior and shear stability
- Fuel savings under all operating conditions
- Very good detergent and dispersing properties
- Neutrality towards sealants
- Low evaporation, thus low oil consumption
- Extensive protection against wear, corrosion and foaming
- Suitable for catalytic converters
- Extended oil change intervals protect natural resources

### Technical specifications

Properties	Data	Unit	Testing under
kinematic viscosity at 40°C	100,7	mm <sup>2</sup> /s	DIN ISO 51659-2
kinematic viscosity at 100°C	14,2	mm <sup>2</sup> /s	DIN ISO 51659-2
viscosity index	144		DIN ISO 2909
appearance	YELLOWBROWN		visuell
density at 15°C	872	kg/m <sup>3</sup>	DIN EN ISO 12185
pour point	-36	°C	ASTM D 7346

JB GERMAN OIL GmbH & Co. KG · Wörlzower Weg 13-19 · D-19243 Wittenburg · Telefon +49 38852 90620 · Telefax +49 38852 906220

Note: All listed information complied with the latest knowledge and developments at the time of preparation. Our products will be continuously developed. For this reason, our products, manufacturing processes and all related information on this product page may change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under corresponding laboratory conditions and are to be regarded as general, non-binding guideline values.