according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier

Trade name/designation:

JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

Article No.:

j2054

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

JB German Oil GmbH

Wölzower Weg 13 - 19 19243 Wittenburg

Germany

Telephone: +49 (0) 38852 90620 Telefax: +49 (0) 38852 906220 **E-mail:** Vertrieb@jb-germanoil.de Website: www.jb-germanoil.de

E-mail (competent person): vertrieb@jb-germanoil.de

1.4. Emergency telephone number

Abt. Produktsicherheit, 24h: +49 228 192 40 (Informationszentrale gegen Vergiftungen Bonn), +49 (0) 38852 90620 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information		
	Contains Mixture of dicalcium (bis(2-hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide. May produce an allergic reaction.	

Precautionary statements: none

2.3. Other hazards

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64741-76-0 EC No.: 265-077-7 REACH No.: 01-2119486951-26	Distillates (petroleum), heavy hydrocracked Asp. Tox. 1 (H304) ❖ Danger Acute Toxicity Estimate ATE (oral) 5,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, gases) 5,000 mg/m³	10 - < 20 weight-%
EC No.: 420-470-4 Index No.: 020-003-00-0 REACH No.: 01-0000016710-77	Mixture of dicalcium (bis(2-hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide Eye Irrit. 2 (H319), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) Warning	0 - < 0.25 weight-%
CAS No.: 91-20-3 EC No.: 202-049-5 Index No.: 601-052-00-2	naphthalene Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Carc. 2 (H351)	0 - ≤ 0.00027 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Consult a doctor immediately. Rinse mouth. Get medical advice/ attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Observe risk of aspiration if vomiting occurs.

mm en/DE

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Use water spray jet to protect personnel and to cool endangered containers. Water spray jet alcohol resistant foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point Combustible

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx),

During heating or in case of fire, toxic gases is possible. In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety. Avoid breathing dust/fume/gas/mist/vapours/spray.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove persons to safety.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment. Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

 $\mathsf{mm} \qquad \qquad \mathsf{en}\,\mathsf{/}\,\mathsf{DE}$

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1 Page 4/11



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary. Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE) from 23 Jun 2022	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	 ① 0.4 ppm (2 mg/m³) ② 1.6 ppm (8 mg/m³) ⑤ (Aerosol und Dampf, kann über die Haut aufgenommen werden) AGS, H, Y, EU, 11, 27
IOELV (EU)	naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	① 10 ppm (50 mg/m³)

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1 Page 5/11



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	8.7 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	104 mg/m ³	DNEL worker Acute - inhalation, systemic effects
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	52 mg/m³	① DNEL worker ② Long-term – inhalation, local effects
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	104 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	3.3 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	40 mg/kg bw/ day	① DNEL worker ② Acute – dermal, systemic effects
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	20 mg/kg bw/ day	DNEL worker Long-term - dermal, local effects
Mixture of dicalcium (bis(2- hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	20 mg/kg bw/ day	① DNEL worker ② Acute - dermal, local effects
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	25 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	25 mg/m³	DNEL worker Acute - inhalation, local effects
Substance name	PNEC Value	① PNEC type

Substance name	PNEC Value	① PNEC type
Mixture of dicalcium (bis(2-hydroxy-5-tetra-propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	66 μg/L	① PNEC aquatic, freshwater
Mixture of dicalcium (bis(2-hydroxy-5-tetra-propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	66 μg/L	① PNEC aquatic, marine water
Mixture of dicalcium (bis(2-hydroxy-5-tetra-propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	20 μg/L	① PNEC sewage treatment plant
Mixture of dicalcium (bis(2-hydroxy-5-tetra-propenyl phenyl methyl) methylamine) dihydroxide EC No.: 420-470-4	66 μg/L	① PNEC aquatic, intermittent release

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1 Page 6/11



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment

Eye/face protection:

During transfer: Eye glasses with side protection

Wear eye/face protection. EN 166

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: ≥ 0,4 mm

Breakthrough time: 480 min

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary. A

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

8.3. Additional information

Mineral oil mist limits:

OSHA PEL - value 5 mg / m^3 , ACGIH STEL - value of 10 mg / m^3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: red

Odour: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	No data available		
Melting point	No data available		
Freezing point	-36		
Initial boiling point and boiling range	No data available		
Flash point	168 °C		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	869 kg/m³	15 °C	
Bulk density	not applicable		
Water solubility	No data available		
Dynamic viscosity	No data available		

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

Parameter	Value		① Method② Remark
Kinematic viscosity	68 mm²/s	40 °C	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Combustible

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

	-
Distillates (petroleum), heavy hydrocracked CAS No.: 64741-76-0 EC No.: 265-077-7	
LD₅₀ oral: 5,000 mg/kg (Rat)	
LD₅₀ dermal: >2,000 mg/kg (Rab)	
LC ₅₀ Acute inhalation toxicity (gas): 5,000 mg/m³ (Rat)	
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	
LD ₅₀ oral: >2,000 mg/kg (rat) OECD Guideline 401 (Acute Oral Toxicity)	
LD₅₀ dermal: >2,500 mg/kg (rat)	
LC ₅₀ Acute inhalation toxicity (vapour): >0.34 mg/L (Rat)	
LC ₅₀ Acute inhalation toxicity (dust/mist): >0.4 mg/L	

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains Mixture of dicalcium (bis(2-hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1 Page 8/11



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

Distillates (petroleum), heavy hydrocracked CAS No.: 64741-76-0 EC No.: 265-077-7

LC₅₀: 100 mg/L 4 d (fish)

EC₅₀: 10,000 mg/L 2 d (crustaceans)

NOEC: 100 mg/L -∞ h (fish)

NOEC: 100 mg/L -∞ h (crustaceans)

NOEC: 100 mg/L -∞ h (Algae/water plant) IC50: 100 mg/L 3 d (Algae/water plant)

naphthalene CAS No.: 91-20-3 EC No.: 202-049-5

LC50: 6.08 mg/L 3 d (fish, Pimephales promelas)

LC₅₀: 1.2 mg/L 4 d (fish, Oncorhynchus gorbuscha)

LC₅₀: 6.35 mg/L 2 d (fish, Pimephales promelas)

EC₅₀: 2.16 mg/L 2 d (crustaceans, Daphnia magna) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

NOEC: 0.12 mg/L 40 d (fish, Oncorhynchus gorbuscha)

LOEC: 0.38 mg/L 40 d (fish, Oncorhynchus gorbuscha)

EC₅₀: 1.96 mg/L 2 d (crustaceans, Daphnia magna)

12.2. Persistence and degradability

Distillates (petroleum), heavy hydrocracked CAS No.: 64741-76-0 EC No.: 265-077-7

Biodegradation: Yes, slowly

12.3. Bioaccumulative potential

Distillates (petroleum), heavy hydrocracked CAS No.: 64741-76-0 EC No.: 265-077-7

Log Kow: 6

naphthalene CAS No.: 91-20-3 EC No.: 202-049-5

Log Kow: 3.45

Bioconcentration factor (BCF): 168

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Distillates (petroleum), heavy hydrocracked CAS No.: 64741-76-0 EC No.: 265-077-7

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Mixture of dicalcium (bis(2-hydroxy-5-tetra- propenyl phenyl methyl) methylamine) dihydroxide

EC No.: 420-470-4

Results of PBT and vPvB assessment: PBT-substance

en / DE

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1 Page 9/11



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

naphthalene CAS No.: 91-20-3 EC No.: 202-049-5

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper ship	ping name	-	·
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport haza	rd class(es)	-	<u> </u>
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			·
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

This product is not assigned to a hazard category.

Safety data sheet available for professional user on request.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1 Page 10/11



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

To follow: 5.2.5 Water hazard class

WGK:

1 - slightly hazardous to water

Source:

Self-classification (mixture: calculation rule).

Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868 Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltölV)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

BCF Bioconcentration Factor CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

DNEL derived no-effect level Effective Concentration 50% EC₅₀

ES Exposure scenario

Inhibition Concentration 50 % IC_{50}

ICAO International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods IMO International Maritime Organization

KG body weight

Lethal (fatal) Concentration 50% LC_{50}

Lethal (fatal) Dose 50% LD_{50}

MAK Maximum concentration in the workplace air (CH)

NFPA National Fire Protection Association

National Institute for Occupational Safety & Health NIOSH

No Observed Effect Concentration NOEC

OECD Organisation for Economic Cooperation and Development

OSHA Occupational Safety & Health Administration PBT persistent and bioaccumulative and toxic

PEL Permissible Exposure Limit **PNEC** Predicted No Effect Concentration

REACH Registration, Evaluation and Authorization of Chemicals

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 23 Jul 2024 Print date: 23 Jul 2024

Version: 1 Page 11/11



JB GERMAN OIL Racing Cross Power (rot) (1:50 TS)

RID Dangerous goods regulations for transport by rail

Short-term Exposure Limit STEL

TRGS Technische Regeln für Gefahrstoffe

LIN United Nations

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS

substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

Substance name	Туре	source of supply
naphthalene CAS No.: 91-20-3 EC No.: 202-049-5	, 50 , 50	Source: European Chemicals Agency, http://echa.europa.eu/

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements		
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.