according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 29 Aug 2023 Print date: 28 Jan 2025



Version: 1 Page 1/11

JB GERMAN OIL Longlife DXS GM 5W-30

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

JB GERMAN OIL Longlife DXS GM 5W-30

Article No.:

j2064

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Jse of the substa Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

JB German Oil GmbH Wölzower Weg 13 - 19 19243 Wittenburg Germany Telephone: +49 (0) 38852 90620 Telefax: +49 (0) 38852 906220 E-mail: Vertrieb@jb-germanoil.de Website: www.jb-germanoil.de

E-mail (competent person): vertrieb@jb-germanoil.de

1.4. Emergency telephone number

Abt. Produktsicherheit, 24h: +49 228 192 40 (Informationszentrale gegen Vergiftungen Bonn), +49 (0) 38852 90620 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard components for labelling:

Phenol, dodecyl-, branched; Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified **Hazard statements:** none

Supplemental hazard information

EUH208 Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts. May produce an allergic reaction.

Precautionary statements: none

2.3. Other hazards

No data available

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 29 Aug 2023

Print date: 28 Jan 2025 Version: 1



Page 2/11

JB GERMAN OIL Longlife DXS GM 5W-30

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-54-7 EC No.: 265-157-1 REACH No.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 (H304)	50 – < 83.5 weight-%
CAS No.: 722503-68-6 EC No.: 682-816-2	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts Skin Sens. 1B (H317) Warning	0 - < 0.22 weight-%
CAS No.: 121158-58-5 EC No.: 310-154-3 Index No.: 604-092-00-9 REACH No.: 01-2119513207-49	Phenol, dodecyl-, branched Candidate List of Substances of Very High Concern for Authorisation! Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Repr. 1B (H360F), Skin Corr. 1C (H314)	0 - < 0.03 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Consult a doctor immediately. Provide fresh air.

In case of skin contact:

Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed No known symptoms to date.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 29 Aug 2023

Print date: 29 Aug 2023 Print date: 28 Jan 2025 Version: 1



Page 3/11

JB GERMAN OIL Longlife DXS GM 5W-30

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Sand Extinguishing powder Carbon dioxide (CO2) Water spray jet alcohol resistant foam **Unsuitable extinguishing media:**

Full water jet

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible. Combustible

Hazardous combustion products:

Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx) In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety. Avoid breathing dust/fume/gas/mist/vapours/spray.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 29 Aug 2023

Print date: 28 Jan 2025 Version: 1



Page 4/11

JB GERMAN OIL Longlife DXS GM 5W-30

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Avoid oil mist. Do not put any product-impregnated cleaning rags into your trouser pockets. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary. Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
DFG (DE) from 10 Oct 2023	zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) CAS No.: 4259-15-8 EC No.: 224-235-5	 0.1 mg/m³ 0.4 mg/m³ (Verbindungen, anorganisch; alveolengängige Fraktion)
DFG (DE) from 10 Oct 2023	zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate) CAS No.: 4259-15-8 EC No.: 224-235-5	 2 mg/m³ 4 mg/m³ (Verbindungen, anorganisch; einatembare Fraktion)
TRGS 900 (DE) from 29 Mar 2019	diphenylamine CAS No.: 122-39-4 EC No.: 204-539-4	 5 mg/m³ 10 mg/m³ (kann über die Haut aufgenommen werden) DFG, Y, H

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 29 Aug 2023 Print date: 28 Jan 2025



Version: 1 Page 5/11

JB GERMAN OIL Longlife DXS GM 5W-30

8.1.2. Biological limit values No data available 8.1.3. DNEL-/PNEC-values **DNEL** value Substance name 1 DNEL type **2** Exposure route zinc bis[0,0-bis(2-ethylhexyl)] 6.6 mg/m³ DNEL worker bis(dithiophosphate) ② Long-term – inhalation, systemic effects CAS No.: 4259-15-8 EC No.: 224-235-5 Phosphorodithioic acid, mixed 0,0-2.93 mg/m³ 1 DNEL worker bis(sec-Bu and 1,3-dimethylbutyl) ② Long-term – inhalation, systemic effects esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5 Phenol, dodecyl-, branched 44.18 mg/m³ 1 DNEL worker CAS No.: 121158-58-5 ② Acute - inhalation, systemic effects EC No.: 310-154-3 Phenol, dodecyl-, branched 0.25 mg/kg DNEL worker CAS No.: 121158-58-5 ② Long-term - dermal, systemic effects EC No.: 310-154-3 Phenol, dodecyl-, branched 166 mg/kg 1 DNEL worker CAS No.: 121158-58-5 ② Acute - dermal, systemic effects EC No.: 310-154-3 **PNEC Value** Substance name PNEC type Distillates (petroleum), solvent-9.33 mg/kg PNEC secondary poisoning refined heavy paraffinic CAS No.: 64741-88-4 EC No.: 265-090-8 Phosphorodithioic acid, mixed 0,0-4 μg/L 1 PNEC aquatic, freshwater bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5 Phosphorodithioic acid, mixed 0,0-4.6 µg/L 1 PNEC aquatic, marine water bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5 Distillates (petroleum), solvent-9.33 mg/kg PNEC secondary poisoning dewaxed heavy paraffinic CAS No.: 64742-65-0 EC No.: 265-169-7 Phenol, dodecyl-, branched 0.074 μg/L PNEC aquatic, freshwater CAS No.: 121158-58-5 EC No.: 310-154-3 Phenol, dodecyl-, branched 0.0074 μg/L 1) PNEC aquatic, marine water CAS No.: 121158-58-5 EC No.: 310-154-3 Phenol, dodecyl-, branched 100 mg/L PNEC sewage treatment plant CAS No.: 121158-58-5 EC No.: 310-154-3 Phenol, dodecyl-, branched 0.226 mg/kg PNEC sediment. freshwater CAS No.: 121158-58-5 EC No.: 310-154-3 Phenol, dodecyl-, branched 0.0266 mg/kg 1 PNEC sediment, marine water CAS No.: 121158-58-5 EC No.: 310-154-3 Phenol, dodecyl-, branched 0.37 µg/L 1 PNEC aquatic, intermittent release CAS No.: 121158-58-5 EC No.: 310-154-3

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 29 Aug 2023

Print date: 29 Aug 2023 Print date: 28 Jan 2025 Version: 1



Page 6/11

JB GERMAN OIL Longlife DXS GM 5W-30

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment

Eye/face protection:

During transfer: Eye glasses Eye glasses with side protection EN 166

Skin protection:

Hand protection

NBR (Nitrile rubber), PVC (polyvinyl chloride)

Thickness of the glove material: \geq 0,4 mm

480

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable protective clothing: Protective clothing Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. A

8.2.3. Environmental exposure controls

No data available

8.3. Additional information

TLV-ACGIH mineral oil mist, limit 5 mg/m³

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid	Colour: tawny
Odour: not determined	flammability: Yes

Safety relevant basis data

Parameter	Value	at °C	1 Method
			② Remark
рН	No data available		
Melting point	No data available		
Freezing point	-48 °C		
Initial boiling point and boiling range	No data available		
Flash point	240 °C		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	846 kg/m³	15 °C	
Bulk density	not applicable		
Water solubility	No data available		
Dynamic viscosity	No data available		
Kinematic viscosity	60 mm²/s	40 °C	

9.2. Other information

No data available

an

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 29 Aug 2023



Version: 1 Page 7/11

JB GERMAN OIL Longlife DXS GM 5W-30

SECTION 10: Stability and reactivity

10.1. Reactivity

Print date: 28 Jan 2025

No known hazardous reactions. Combustible

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid,, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide Carbon monoxide Nitrogen oxides (NOx) Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1

LD₅₀ oral: 5,000 mg/kg (Rat) OECD 401

LD₅₀ dermal: 5,000 mg/kg (Rabbit) OECD 402

LC₅₀ Acute inhalation toxicity (dust/mist): 5.53 mg/L 4 h (Rat) OECD 403

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

LD₅₀ oral: 2,100 - 2,200 mg/kg (rat)

LD₅₀ dermal: 15,000 mg/kg (rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 29 Aug 2023

Print date: 29 Aug 202. Version: 1



Page 8/11

JB GERMAN OIL Longlife DXS GM 5W-30

Additional information:

No data available

11.2. Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

12.1. Toxicity

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1

LC₅₀: 100 mg/L 4 d (fish)

LC₅₀: 10,000 mg/L 4 d (crustaceans)

EC₅₀: 10,000 mg/L 2 d (crustaceans)

NOEC: 100 mg/L 4 d (fish)

NOEC: 100 mg/L 3 d (Algae/water plant)

NOEC: ≥100 mg/L 3 d (Algae/water plant, Algen)

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

LC₅₀: ≥40 mg/L 2 d (fish)

LC₅₀: ≥0.58 - 0.58 mg/L 4 d (crustaceans)

NOEC: ≥0.07 mg/L 3 d (Algae/water plant)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

Log K_{OW}: 7.14

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts CAS No.: 722503-68-6 EC No.: 682-816-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 29 Aug 2023

Print date: 28 Jan 2025 Version: 1



Page 9/11

JB GERMAN OIL Longlife DXS GM 5W-30

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

Remark:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Waste code packaging

Remark:

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number	Ţ	
No dangerous good in sense of these transport regulations.			
14.2. UN proper ship	ping name		
No dangerous good in sense of these transport regulations.			
14.3. Transport haza	rd class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group	·		
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments nicht anwendbar

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

This product is not assigned to a hazard category. Safety data sheet available for professional user on request.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Aug 2023 Print date: 28 Jan 2025 Version: 1



Page 10/11

JB GERMAN OIL Longlife DXS GM 5W-30

Water hazard class

WGK:

2 - obviously hazardous to water

Description:

hazardous to water (WGK 2)

Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 190, 192, 195 Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltölV)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

- ACGIH American Conference of Governmental Industrial Hygienists
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CAS Chemical Abstracts Service
- CLP Classification. Labelling and Packaging
- DIN German Institute for Standardization / German Industrial Standard
- DNEL derived no-effect level
- EC₅₀ Effective Concentration 50%
- ECHA European Chemicals Agency
- EN European Standard
- ES Exposure scenario

EWC European Waste Catalogue

- ICAO International Civil Aviation Organization
- IMDG International Maritime Dangerous Goods
- IMO International Maritime Organization
- LC₅₀ Lethal (fatal) Concentration 50%
- LD₅₀ Lethal (fatal) Dose 50%
- MAK Maximum concentration in the workplace air (CH)
- NFPA National Fire Protection Association
- NIOSH National Institute for Occupational Safety & Health
- NOEC No Observed Effect Concentration
- OECD Organisation for Economic Cooperation and Development
- OSHA Occupational Safety & Health Administration
- PBT persistent and bioaccumulative and toxic
- PNEC Predicted No Effect Concentration
- REACH Registration, Evaluation and Authorization of Chemicals
- RID Dangerous goods regulations for transport by rail
- TRGS Technische Regeln für Gefahrstoffe
- UN United Nations

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29 Aug 2023 Print date: 28 Jan 2025 Version: 1



Page 11/11

JB GERMAN OIL Longlife DXS GM 5W-30

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory European Chemicals Agency (ECHA), ECHA CHEM Registered substances OECD The Global Portal to Information on Chemical Substances (ChemPortal) Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard stateme	Hazard statements		
H304	May be fatal if swallowed and enters airways.		
H314	Causes severe skin burns and eye damage.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H360F	May damage fertility.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.