according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Apr 2023 Print date: 19 Apr 2023 Version: 4



Page 1/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

JB GERMAN OIL Grand Prix Plus SAE 10W-60

Article No.:

j2077...

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

l ubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

JB German Oil GmbH Wölzower Weg 13 - 19 19243 Wittenburg Germany Telephone: +49 (0) 38852 90620 Telefax: +49 (0) 38852 906220 E-mail: Vertrieb@jb-germanoil.de Website: www.jb-germanoil.de

E-mail (competent person): vertrieb@jb-germanoil.de

1.4. Emergency telephone number

Abt. Produktsicherheit, 24h: +49 228 192 40 (Informationszentrale gegen Vergiftungen Bonn), +49 (0) 38852 90620 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard components for labelling:

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts; Phenol, dodecyl-, branched; Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified

Hazard statements for environmental hazards				
H412	Harmful to aquatic life with long lasting effects.			
Supplement	Supplemental hazard information			
EUH208	Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts. May produce an allergic reaction.			
Precautionary statements Prevention				
P273	Avoid release to the environment.			
Precautionary statements Disposal				
P501	Dispose of contents/container to an appropriate recycling or disposal facility.			

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Apr 2023 Print date: 19 Apr 2023



Version: 4 Page 2/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Classification according to Regulation (EC) No 1272/2008 [CLP]	
Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified Asp. Tox. 1 (H304)	53 - ≤ 100 weight-%
Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts Skin Sens. 1B (H317) Warning	0 – < 0.5 weight-%
Phenol, dodecyl-, branched Candidate List of Substances of Very High Concern for Authorisation! Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Repr. 1B (H360F), Skin Corr. 1C (H314) ♦ ♦ ♦ Danger M-factor (acute): 10 M-factor (chronic): 10	0 – < 0.15 weight-%
	 not specified Asp. Tox. 1 (H304) Danger Additional information: This product contains a substance that has endocrine disrupting properties with respect to humans. Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts Skin Sens. 1B (H317) Warning Phenol, dodecyl-, branched Candidate List of Substances of Very High Concern for Authorisation! Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Repr. 1B (H360F), Skin Corr. 1C (H314) Sense

SECTION 4: First aid measures

* 4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately.

In case of skin contact:

Consult a doctor immediately.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Rinse mouth thoroughly with water. Consult a doctor immediately. Rinse mouth. Get medical advice/ attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

Self-protection of the first aider:

No direct artificial respiration to be given by first aider.

4.2. Most important symptoms and effects, both acute and delayed No data available

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

* 5.1. Extinguishing media

Suitable extinguishing media:

Use water spray jet to protect personnel and to cool endangered containers.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2023 Print date: 19 Apr 2023 Version: 4



Page 3/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

Unsuitable extinguishing media:

Full water jet

* 5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx),

During heating or in case of fire, toxic gases is possible. In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

* 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove persons to safety.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment. Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

*

mm

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13 Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Apr 2023 Print date: 19 Apr 2023



Version: 4 Page 4/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product. Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

mm

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	 DNEL type Exposure route
Phosphorodithioic acid, mixed O,O- bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5	2.93 mg/m ³	 DNEL worker Long-term - inhalation, systemic effects
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	44.18 mg/m ³	 DNEL worker Acute - inhalation, systemic effects
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.25 mg/kg	 DNEL worker Long-term - dermal, systemic effects

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Apr 2023

Print date: 19 Apr 2023 Version: 4



Page 5/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

Substance name	DNEL value	① DNEL type
		② Exposure route
Phenol, dodecyl-, branched CAS No.: 121158-58-5	166 mg/kg	 DNEL worker Acute - dermal, systemic effects
EC No.: 310-154-3		
Substance name	PNEC Value	① PNEC type
Distillates (petroleum), solvent- refined heavy paraffinic CAS No.: 64741-88-4 EC No.: 265-090-8	9.33 mg/kg	${f 1}$ PNEC secondary poisoning
Phosphorodithioic acid, mixed O,O- bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5	4 μg/L	① PNEC aquatic, freshwater
Phosphorodithioic acid, mixed O,O- bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts CAS No.: 68784-31-6 EC No.: 272-238-5	4.6 μg/L	① PNEC aquatic, marine water
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.074 μg/L	① PNEC aquatic, freshwater
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.0074 µg/L	① PNEC aquatic, marine water
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	100 mg/L	 PNEC sewage treatment plant
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.226 mg/kg	${f 1}$ PNEC sediment, freshwater
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.0266 mg/kg	① PNEC sediment, marine water
Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3	0.37 μg/L	${f 1}$ PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment

Eve/face protection:

During transfer: Eye glasses with side protection Wear eye/face protection. EN 166

Skin protection:

*

Hand protection

mm

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber) Thickness of the glove material: \geq 0,4 mm

Breakthrough time: 480 min

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn: EN ISO 374

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2023 Print date: 19 Apr 2023 Version: 4



Page 6/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

Suitable protective clothing: Protective clothing In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

8.3. Additional information

Mineral oil mist limits:

OSHA PEL - value 5 mg / m³, ACGIH STEL - value of 10 mg / m³

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid **Odour:** not determined

Colour: tawny

Safety relevant basis data

Parameter	Value	at °C	 Method
			② Remark
рН	not determined		
Melting point	not determined		
Freezing point	-39 °C		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	248 °C		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	855 kg/m³	15 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	not determined		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	160 mm²/s	40 °C	

9.2. Other information

No data available

SECTION 10: Stability and reactivity

* 10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

*

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Apr 2023 Print date: 19 Apr 2023



Version: 4 Page 7/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

* **10.6.** Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1

LD₅₀ oral: 5,000 mg/kg (Rat) OECD 401

LD₅₀ dermal: 5,000 mg/kg (Rabbit) OECD 402

LC₅₀ Acute inhalation toxicity (dust/mist): 5.53 mg/L 4 h (Rat) OECD 403

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

LD₅₀ oral: 2,100 - 2,200 mg/kg (rat)

LD₅₀ dermal: 15,000 mg/kg (rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts. May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

mm

Based on available data, the classification criteria are not met.

Additional information: No data available

* 11.2. Information on other hazards

Endocrine disrupting properties:

This product contains a substance that has endocrine disrupting properties with respect to humans.

according to Regulation (EC) No. 1907/2006 (REACH) Revision date: 19 Apr 2023 Print date: 19 Apr 2023



Version: 4 Page 8/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

SECTION 12: Ecological information

12.1. Toxicity

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1

LC₅₀: 100 mg/L 4 d (fish)

LC₅₀: 10,000 mg/L 4 d (crustaceans)

EC₅₀: 10,000 mg/L 2 d (crustaceans)

NOEC: 100 mg/L 4 d (fish)

NOEC: 100 mg/L 3 d (Algae/water plant)

NOEC: ≥100 mg/L 3 d (Algae/water plant, Algen)

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

LC₅₀: ≥40 mg/L 2 d (fish)

LC₅₀: ≥0.58 - 0.58 mg/L 4 d (crustaceans)

NOEC: ≥0.07 mg/L 3 d (Algae/water plant)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Phenol, dodecyl-, branched CAS No.: 121158-58-5 EC No.: 310-154-3

Log K_{OW}: 7.14

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Distillates (petroleum), hydrotreated heavy paraffinic; Base oil - not specified CAS No.: 64742-54-7 EC No.: 265-157-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., Calcium salts CAS No.: 722503-68-6 EC No.: 682-816-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.Phenol, dodecyl-, branchedCAS No.: 121158-58-5EC No.: 310-154-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

* 12.6. Endocrine disrupting properties

This product contains a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No data available

mm

SECTION 13: Disposal considerations

* 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Apr 2023 Print date: 19 Apr 2023 Version: 4



Page 9/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or	ID number	·		
No dangerous good in sense of these transport regulations.				
14.2. UN proper shi	oping name			
No dangerous good in sense of these transport regulations.				
14.3. Transport haza	ard class(es)	·		
not relevant	not relevant	not relevant	not relevant	
14.4. Packing group				
not relevant	not relevant	not relevant	not relevant	
14.5. Environmental hazards				
not relevant	not relevant	not relevant	not relevant	
14.6. Special precautions for user				
not relevant	not relevant	not relevant	not relevant	

14.7. Maritime transport in bulk according to IMO instruments not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category. Safety data sheet available for professional user on request.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

To follow: 5.2.5

Water hazard class

WGK:

2 - deutlich wassergefährdend

Source:

Self-classification (mixture; calculation rule).

Technische Regeln für Gefahrstoffe

TRGS 510

mm

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 19 Apr 2023

Print date: 19 Apr 2023 Version: 4



Page 10/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195 Other regulations, restrictions and prohibition regulations Altöl-Verordnung (AltölV)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

* 16.1. Indication of changes

-	indication of changes
2.2.	Label elements
3.2.	Mixtures
4.1.	Description of first aid measures
5.1.	Extinguishing media
5.2.	Special hazards arising from the substance or mixture
6.1.	Personal precautions, protective equipment and emergency procedures
6.3.	Methods and material for containment and cleaning up
7.1.	Precautions for safe handling
8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
10.1.	Reactivity
10.3.	Possibility of hazardous reactions
10.6.	Hazardous decomposition products
11.2.	Information on other hazards
12.6.	Endocrine disrupting properties
13.1.	Waste treatment methods
16.1.	Indication of changes

16.2. Abbreviations and acronyms

See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

67/548/EEC - Dangerous Substances Directive

1999/45/EEC - Dangerous Preparations Directive

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006 Regulation (EC) No 1907/2006 (REACH), Annex II

Regulation (EC) NO 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

 Hazard classes and hazard categories	Hazard statements	Classification procedure
 •	H412: Harmful to aquatic life with long lasting effects.	

according to Regulation (EC) No. 1907/2006 (REACH) **Revision date:** 19 Apr 2023

Revision date: 19 Apr 2023 Print date: 19 Apr 2023 Version: 4



Page 11/11

JB GERMAN OIL Grand Prix Plus SAE 10W-60

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard state	izard statements	
H304 May be fatal if swallowed and enters airways.		
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H360F	H360F May damage fertility.	
H400 Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.	

16.6. Training advice

No data available

mm

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

* Data changed compared with the previous version.