according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

Article No.:

j2216

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

JB German Oil GmbH

Wölzower Weg 13 - 19 19243 Wittenburg

Germany

Telephone: +49 (0) 38852 90620 Telefax: +49 (0) 38852 906220 E-mail: Vertrieb@jb-germanoil.de Website: www.jb-germanoil.de

E-mail (competent person): vertrieb@jb-germanoil.de

1.4. Emergency telephone number

Abt. Produktsicherheit, 24h: +49 228 192 40 (Informationszentrale gegen Vergiftungen Bonn), +49 (0) 38852 90620 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS07
Exclamation mark
Signal word: Warning

 $\mathsf{mm} \qquad \qquad \mathsf{en}\,\mathsf{/}\,\mathsf{DE}$

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1 Page 2/13



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

Hazard components for labelling:

Polysulfides, di-tert-Bu; Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines. C12-14-alkyl (branched)

Hazard statements for health hazards		
H317	May cause an allergic skin reaction.	

Supplemental hazard information		
	Contains Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction.	

Precautionary statements Prevention		
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

Precautionary statements Response				
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.			
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.			

Precautionary statements Disposal		
P501	Dispose of contents/container to an appropriate recycling or disposal facility.	

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68937-96-2 EC No.: 273-103-3 REACH No.: 01-2119540515-43	Polysulfides, di-tert-Bu Aquatic Chronic 4 (H413), Skin Sens. 1 (H317) Warning	1 - ≤ 2 weight-%
EC No.: 931-384-6 REACH No.: 01-2119493620-38	Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) Acute Tox. 4 (H302), Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Skin Sens. 1 (H317) Danger	0 - ≤ 0.19 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. Consult a doctor immediately. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Consult a doctor immediately. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/ attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

mm en / DE

GeSi.de

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1 Page 3/13



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

Following ingestion:

Rinse mouth thoroughly with water. Consult a doctor immediately. Rinse mouth. Get medical advice/ attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. Observe risk of aspiration if vomiting occurs.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Use water spray jet to protect personnel and to cool endangered containers. Water spray jet alcohol resistant foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

During heating or in case of fire, toxic gases is possible.

The formation of combustible vapours is possible at temperatures above: Flash point Combustible

Hazardous combustion products:

Carbon monoxide, Carbon dioxide (CO2), Nitrogen oxides (NOx),

During heating or in case of fire, toxic gases is possible. In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing. Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Special danger of slipping by leaking/spilling product. Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Remove persons to safety.

6.1.2. For emergency responders

Personal protection equipment:

Use personal protection equipment. Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Suitable material for taking up: Sand, Kieselguhr, Universal binder, Chemical binding agents, containing acids Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1 Page 4/13



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

For cleaning up:

Remove from the water surface (e.g. skimming, sucking). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information:

Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

6.5. Additional information

Clear spills immediately. Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Personal protection equipment: see section 8 When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately. Use appropriate container to avoid environmental contamination. Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special fire protection measures are necessary. Take precautionary measures against static discharge. Keep away from sources of ignition - No smoking.

Environmental precautions:

See section 8.

Advices on general occupational hygiene

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Suitable container/equipment material: Floors should be impervious, resistant to liquids and easy to clean. Shafts and sewers must be protected from entry of the product.

Keep/Store only in original container.

Hints on storage assembly:

not required

Storage class (TRGS 510, Germany): 10 - Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Keep away from heat.

7.3. Specific end use(s)

Recommendation:

Observe technical data sheet.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
TRGS 900 (DE) from 30 Nov 2017	Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, <2% aromatics CAS No.: 64742-47-8 EC No.: 920-107-4	① 300 mg/m³ ② 600 mg/m³ ⑤ (C9-C14 Aliphaten)
DFG (DE) from 1 Jul 2015	Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, <2% aromatics CAS No.: 64742-47-8 EC No.: 920-107-4	① 5 mg/m³ ② 20 mg/m³ ⑤ (Aerosol, alveolengängige Fraktion)
DFG (DE) from 1 Jul 2015	Hydrocarbons, C12-C15, n-alkanes, iso-alkanes, cyclenes, <2% aromatics CAS No.: 64742-47-8 EC No.: 920-107-4	① 50 ppm (350 mg/m³) ② 100 ppm (700 mg/m³) ⑤ (Dampf)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated CAS No.: 101316-69-2 EC No.: 309-874-0	2.73 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated CAS No.: 101316-69-2 EC No.: 309-874-0	5.58 mg/m ³	① DNEL worker ② Long-term – inhalation, local effects
Lubricating oils (petroleum), C>25, solvent-extd., deasphalted, dewaxed, hydrogenated CAS No.: 101316-69-2 EC No.: 309-874-0	0.97 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3	14.5 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3	1.66 mg/kg bw/day	DNEL worker Long-term - dermal, systemic effects
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	8.56 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6	12.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 **Print date:** 11 Aug 2023

Version: 1



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

Substance name	DNEL value	① DNEL type	
		② Exposure route	
C16-18-(even numbered, saturated	0.38 mg/m ³	① DNEL worker	
and unsaturated)-alkylamines	0.00g,	② Long-term – inhalation, systemic effects	
CAS No.: 1213789-63-9		Eorig term minutation, systemic enects	
EC No.: 627-034-4	1 / 3		
C16-18-(even numbered, saturated and unsaturated)-alkylamines	1 mg/m³	① DNEL worker	
CAS No.: 1213789-63-9		② Long-term – inhalation, local effects	
EC No.: 627-034-4			
C16-18-(even numbered, saturated	1 mg/cm ²	① DNEL worker	
and unsaturated)-alkylamines CAS No.: 1213789-63-9		② Acute - inhalation, local effects	
EC No.: 627-034-4			
1,3,4-Thiadiazolidine-2,5-dithione,	4.408 mg/m ³	① DNEL worker	
reaction products with hydrogen		② Long-term – inhalation, systemic effects	
peroxide and tert-nonanethiol CAS No.: 91648-65-6			
EC No.: 293-927-7			
1,3,4-Thiadiazolidine-2,5-dithione,	6.25 mg/kg	① DNEL worker	
reaction products with hydrogen	bw/day	② Long-term - dermal, systemic effects	
peroxide and tert-nonanethiol CAS No.: 91648-65-6			
EC No.: 293-927-7			
Substance name	PNEC Value	① PNEC type	
Distillates (petroleum), solvent- refined heavy paraffinic	9.33 mg/kg	① PNEC secondary poisoning	
CAS No.: 64741-88-4			
EC No.: 265-090-8			
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with	0.0012 mg/L	① PNEC aquatic, freshwater	
phosphorus oxide, propylene oxide			
and amines, C12-14-alkyl (branched)			
EC No.: 931-384-6			
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with	0.12 μg/L	① PNEC aquatic, marine water	
phosphorus oxide, propylene oxide			
and amines, C12-14-alkyl (branched)			
EC No.: 931-384-6			
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with	24.33 mg/L	① PNEC sewage treatment plant	
phosphorus oxide, propylene oxide			
and amines, C12-14-alkyl (branched)			
EC No.: 931-384-6			
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with	3.13 mg/kg bw/day	① PNEC sediment, freshwater	
phosphorus oxide, propylene oxide	bw/day		
and amines, C12-14-alkyl (branched)			
EC No.: 931-384-6			
Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with	0.313 mg/kg bw/day	① PNEC sediment, marine water	
phosphorus oxide, propylene oxide	Switady		
and amines, C12-14-alkyl (branched)			
EC No.: 931-384-6	0.00 "		
C16-18-(even numbered, saturated and unsaturated)-alkylamines	0.26 μg/L	① PNEC aquatic, freshwater	
CAS No.: 1213789-63-9			
EC No.: 627-034-4			

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

Substance name	PNEC Value	① PNEC type
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	0.026 μg/L	① PNEC aquatic, marine water
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	3.76 mg/kg	① PNEC sediment, freshwater
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	0.376 mg/kg	① PNEC sediment, marine water
C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS No.: 1213789-63-9 EC No.: 627-034-4	10 mg/kg	① PNEC soil
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol CAS No.: 91648-65-6 EC No.: 293-927-7	41 μg/L	① PNEC aquatic, freshwater
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol CAS No.: 91648-65-6 EC No.: 293-927-7	4.1 μg/L	① PNEC aquatic, marine water
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol CAS No.: 91648-65-6 EC No.: 293-927-7	8,000 mg/L	① PNEC sewage treatment plant
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol CAS No.: 91648-65-6 EC No.: 293-927-7	380.62 mg/kg bw/day	① PNEC sediment, freshwater
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol CAS No.: 91648-65-6 EC No.: 293-927-7	38.06 mg/kg bw/day	① PNEC sediment, marine water
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol CAS No.: 91648-65-6 EC No.: 293-927-7	6.67 mg/kg bw/day	① PNEC secondary poisoning
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol CAS No.: 91648-65-6 EC No.: 293-927-7	410 μg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

See section 7. No additional measures necessary.

8.2.2. Personal protection equipment

Eye/face protection:

During transfer: Eye glasses with side protection

Wear eye/face protection. EN 166

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1 Page 8/13



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

Skin protection:

Hand protection

Suitable material: NBR (Nitrile rubber), PVC (polyvinyl chloride), CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: ≥ 0,4 mm

Breakthrough time: 480 min

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn: EN ISO 374

Suitable protective clothing: Protective clothing In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

Respiratory protection:

Usually no personal respirative protection necessary. Filtering device with filter or ventilator filtering device of type: A

8.2.3. Environmental exposure controls

See section 7. No additional measures necessary.

8.3. Additional information

Mineral oil mist limits:

OSHA PEL - value 5 mg / m^3 , ACGIH STEL - value of 10 mg / m^3

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: yellow

Odour: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	not determined		O Neman
Melting point	not determined		
Freezing point	not determined		
Initial boiling point and boiling range	not determined		
Decomposition temperature	not determined		
Flash point	244 °C		
Evaporation rate	not determined		
Auto-ignition temperature	not determined		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	880 kg/m³	15 °C	
Relative density	not determined		
Bulk density	not determined		
Water solubility	not determined		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	not determined		
Kinematic viscosity	127 mm²/s	40 °C	

9.2. Other information

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions. Combustible

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

To avoid thermal decomposition do not overheat.

10.5. Incompatible materials

Materials to avoid: Acid, Oxidising agent, Reducing agent

10.6. Hazardous decomposition products

Hazardous combustion products: Carbon dioxide, Carbon monoxide, Nitrogen oxides (NOx) Gases/vapours, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause an allergic skin reaction. Contains Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). May produce an allergic reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

SECTION 12: Ecological information

12.1. Toxicity

Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3

EC₅₀: 63 mg/L 2 d (crustaceans)

EC₅₀: >100 mg/L 3 d (Algae/water plant)

Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6

LC₅₀: \approx 24 mg/L 4 d

EC₅₀: 91.4 mg/L 2 d (crustaceans)

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3

 $Log K_{OW}$: = 6

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Polysulfides, di-tert-Bu CAS No.: 68937-96-2 EC No.: 273-103-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Reaction products of bis (4-methyl pentan-2-yl) phosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EC No.: 931-384-6

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

13.2. Additional information

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)	(ADN)		Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or ID number				
No dangerous good in sense of these transport regulations.			No dangerous good in sense of these transport regulations.	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1 Page 11/13



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)		
14.2. UN proper shipping name					
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.		
14.3. Transport hazard class(es)					
not relevant	not relevant	not relevant	not relevant		
14.4. Packing group					
not relevant	not relevant	not relevant	not relevant		
14.5. Environmental hazards					
not relevant	not relevant	not relevant	not relevant		
14.6. Special precautions for user					
not relevant	not relevant	not relevant	not relevant		

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category. Safety data sheet available for professional user on request.

15.1.2. National regulations

[DE] National regulations

Störfallverordnung (12. BlmschV)

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung zur Reinhaltung der Luft (TA-Luft)

Remark:

To follow: 5.2.5 Water hazard class

WGK:

1 - slightly hazardous to water

Source:

Self-classification (mixture; calculation rule).

Technische Regeln für Gefahrstoffe

TRGS 510

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

Berufsgenossenschaftliche Informationen (DGUV-Informationen) 868 Berufsgenossenschaftliche Regeln (DGUV-Regeln) 189, 190, 192, 195

Other regulations, restrictions and prohibition regulations

Altöl-Verordnung (AltölV)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

en / DE

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1 Page 12/13



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

16.2. Abbreviations and acronyms

American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

European Agreement concerning the International Carriage of Dangerous Goods by Road **ADR**

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

derived no-effect level **DNEL** EC₅₀ Effective Concentration 50%

ICAO International Civil Aviation Organization **IMDG** International Maritime Dangerous Goods IMO International Maritime Organization

body weight KG

Lethal (fatal) Concentration 50% LC_{50}

MAK Maximum concentration in the workplace air (CH)

NFPA National Fire Protection Association

Occupational Safety & Health Administration **OSHA** PBT persistent and bioaccumulative and toxic

Permissible Exposure Limit PEL Predicted No Effect Concentration **PNEC**

Registration, Evaluation and Authorization of Chemicals REACH Dangerous goods regulations for transport by rail RID

STEL Short-term Exposure Limit

TRGS Technische Regeln für Gefahrstoffe

UN **United Nations**

ZNS central nervous system See overview table at www.euphrac.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

16.3. Key literature references and sources for data

EC 1907/2006 - REACH Regulation

1272/2008 EC - Regulation on classification, labeling and packaging of substances and mixtures, and amending Directives 67/548/EEC and 1999/45/EC and Regulation (EC) No 1907/2006

Regulation (EC) No 1907/2006 (REACH), Annex II

European Chemicals Agency (ECHA), C & L classification and labeling inventory

European Chemicals Agency (ECHA), ECHA CHEM Registered substances

OECD The Global Portal to Information on Chemical Substances (ChemPortal)

Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS substance database and International limit values for chemical substances

Federal Environment Agency, Section IV 2.4: Documentation and Information Centre substances

hazardous to water Rigoletto (catalog substances hazardous to water)

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements		
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H411	Toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

en / DE mm

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 11 Aug 2023 Print date: 11 Aug 2023

Version: 1 Page 13/13



JB GERMAN OIL Mehrzweckgetriebeöl GL4 SAE 80W-90

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.