# **Product Information**

### JB GERMAN OIL ATF DQ 9000 FE

J2280



#### Description

JB GERMAN OIL ATF DQ 9000 FE is designed on a basis of hydrocrack oils and PAO with special additives and inhibition, which guarantee the flawless function of the automatic gearbox. JB GERMAN OIL ATF DQ 9000 FE is an ATF of the latest generation for all automatic gearboxes. A high wear protection is guaranteed in all operating conditions.

#### Instructions for use

JB GERMAN OIL ATF DQ 9000 FE was developed for use in Mercedes automatic gearboxes 7G-TRONIC with ECO stop-start function (NAG2FE+).

Recommendation	

• MB 236.15

• ATF 7134 FE/ATF 134 FE/ATF 134 ME

- MB A001 989 78 03, MB A001 989 77 03
- Properties
- High and stable viscosity index
- Excellent oxidation stability
- Coordinated friction properties

- Very high temperature and ageing stability, i.e. high protection against deposits
- Good lubrication properties, even at low temperatures in winter
- High thermal and oxidative stability

## • Excellent cooling capacity

Technical specifications				
Properties	Data	Unit	Testing under	
Kinematic Viscosity at 40°C	17.7	mm²/s	DIN 51659-2:2017-02	
Kinematic Viscosity at 100°C	4,3	mm²/s	DIN 51659-2:2017-02	
Viscosity Index	156		DIN ISO 2909:2004-08	
Appearance	BLUE		VISUELL	
Density at 15°C	829	kg/m³	DIN EN ISO 12185:1997-11	
Pour Point	-63	°C	ASTM D 7346:2015	

Notice: To the best of our knowledge, all of the information provided was in accordance with the latest findings and developments. Our products are subject to continuous development. For this reason, our products, the manufacturing processes and all related information on this product page are subject to change at any time and without notice, unless customer-specific agreements exist. The data listed are based on standardized test procedures under appropriate laboratory conditions and are to be regarded as general, non-binding reference values.